

종람

제품 장점



DC16-PE-11020000017

Screw type Din-Rail TB, connector method: Screw/plug-in connector, Number of connectors: 2, Number of potentials: 1, Cross section: 1.5 mm 2 - 25 mm 2 , AWG: 14 - 3, Width: 12 mm, Color: green-yellow, Mounting type: NS 35/7.5, NS 35/15

제품 장점

 \square Steel screw connection technology, reliable connection;

☑Grounding structure, protection circuit;

☑The box has a baffle to prevent mis-insertion;

☑Can be matched with marker strips to avoid incorrect insertion of wires.

제품 인증



기술 데이터

제품 도면

3D

Wiring data

Screw type	Slotted screw
2 flexible conductors with a TWIN ferrule	0.75-6mm²
Conductor cross section flexible (ferrule with plastic sleeve)	1-16mm²
Conductor cross section flexible (ferrule without plastic sleeve)	1-16mm²
Strip length	12mm
Conductor cross section solid	1.5~25mm²
Conductor cross section flexible	1.5~25mm²

Conductor cross section solid AWG	14~3
screw thread	M5
Tightening torque	2.5N.m

Environmental conditions

Ambient temperature (operation)	-40 °C ~ 105 °C (depending on derating curve)
Relative humidity (storage/transport)	25%~75%

IEC Electrical parameters

F	Rated surge voltage	8KV	
---	---------------------	-----	--

Environmental protection

REACh SVHC	Lead 7439-92-1
RoHS	No excessive harmful substances

Dimension

NS 35/7,5 Height	50.9mm
End plate width	1.5mm
NS 35/15 Height	58.4mm
length	50.25mm
width	12mm
Height	49.4mm

Overview

Connection method	screw connection
Number of rows	1
number of connections	2
Open-end side panels	Yes
Insulation Materials	PA
Flame retardant grade, in line with UL 94	VO

악세사리

N۸	2	rl	ke	r
IVI	а	П	ĸe	П

Top marker	I
Side marker	ZT12
Marker support	1

Accessories

Slotted screwdriver size (Blade thickness x Width)	1×6.5
Bridge	1
End cover	D-DC16
Partition plate	1

Installation

End clamp	E-WS N / E-PC-1100A
Terminal strip marker support	KLM3-20x8 / KLM3-44x8 / DLM2 / DBE-1 / DBE-2
DIN rail	NS35/7.5 & NS35/15

Marking & Installation

Marking strip	ZB10
Marker cards	DBE-1

Accessories

End cover	D-DC16
End clamp	E-WS
DIN rail	NS35/7.5-1000-00A(H)

비즈니스 데이터

발주 번호 11020000017

포장 단위	20
MOQ	20
제품 무계 (포장 제외)	34.084